

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
76.8	19.9	1622.0	990.2	1050.7	34.5	635.8	31.6	30.1	20.3	1.00	1.01
76.9	20.1	1631.3	990.2	1058.7	34.5	635.8	31.9	30.1	20.3	1.00	1.01
77.0	20.1	1655.5	990.2	1064.0	34.5	637.0	32.1	30.1	20.3	1.00	1.00
77.1	21.0	1659.3	990.2	1071.9	34.5	636.6	32.4	30.5	20.3	1.00	1.01
77.2	21.7	1678.8	998.1	1077.2	34.5	637.0	32.7	33.0	20.3	1.00	1.01
77.3	22.3	1703.8	992.3	1085.1	34.5	637.0	33.0	33.0	18.8	1.00	1.01
77.4	22.6	1719.3	993.9	1090.4	34.5	637.1	33.3	33.0	19.5	1.00	0.98
77.5	23.0	1738.3	1238.0	1098.3	34.5	639.4	33.6	42.7	18.8	1.00	0.98
77.6	27.0	1751.5	1493.1	1100.9	33.8	638.6	33.9	59.3	18.0	1.00	0.98
77.7	28.7	1777.8	1704.5	1106.2	33.8	638.6	34.3	100.0	16.5	1.00	1.01
77.8	30.5	1807.8	1716.2	1122.1	33.8	640.9	34.7	100.0	16.5	0.99	1.03
77.9	31.5	1832.3	1733.4	1140.6	33.8	640.0	35.1	100.0	16.5	0.99	0.99
78.0	33.3	1853.0	1738.0	1159.1	33.8	641.5	35.5	100.0	15.8	0.98	0.97
78.1	34.8	1873.8	1751.4	1174.9	33.8	641.6	36.0	100.0	15.0	0.98	0.95
78.2	35.2	1904.5	1756.3	1193.4	33.8	641.5	36.5	100.0	14.3	0.97	0.95
78.3	36.9	1936.5	1774.6	1211.9	33.8	644.7	37.0	100.0	15.0	0.97	0.94
78.4	38.4	1979.8	1797.0	1230.4	33.8	643.5	37.6	100.0	14.3	0.97	0.95
78.5	39.4	1996.5	1827.7	1251.6	33.0	643.6	38.2	100.0	15.0	0.96	0.96
78.6	41.6	2028.8	1857.3	1275.3	33.0	647.5	38.8	100.0	13.5	0.96	0.96
78.7	42.4	2076.8	1900.0	1293.8	33.0	646.1	39.4	100.0	12.8	0.96	0.96
78.8	44.0	2094.0	1949.0	1314.9	33.0	649.1	39.9	100.0	12.8	0.96	0.96
78.9	46.0	2138.3	1964.0	1346.6	33.0	649.1	40.6	100.0	12.0	0.96	0.96
79.0	48.3	2178.3	1967.2	1362.5	33.0	649.0	41.2	100.0	12.0	0.96	0.96
79.1	49.5	2214.8	1961.9	1394.1	32.3	655.0	41.9	100.0	12.0	0.96	0.96
79.2	51.9	2262.8	1936.3	1423.2	32.3	652.8	42.7	100.0	12.0	0.96	0.96
79.3	53.3	2309.5	1927.7	1457.5	32.3	652.8	43.4	100.0	12.8	0.96	0.95
79.4	55.0	2331.3	1909.3	1481.3	32.3	659.6	43.9	100.0	12.0	0.96	0.95
79.5	56.9	2380.5	1894.7	1513.1	32.3	657.0	44.6	100.0	12.0	0.95	0.96
79.6	59.4	2421.8	1881.4	1550.0	32.3	661.6	45.2	100.0	12.0	0.95	0.96
79.7	60.8	2476.8	1866.6	1584.3	31.5	661.6	45.8	100.0	12.0	0.95	0.97

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
79.8	64.4	2527.0	1848.3	1610.8	31.5	661.6	46.7	100.0	12.0	0.95	0.97
79.9	64.3	2567.8	1836.2	1642.5	31.5	670.4	47.5	100.0	13.5	0.95	0.95
80.0	67.6	2606.3	1829.6	1666.3	31.5	667.0	48.4	100.0	12.8	0.95	0.96
80.1	70.9	2678.5	1821.8	1697.9	31.5	673.5	49.2	100.0	13.5	0.95	0.99
80.2	72.9	2721.8	1815.9	1729.7	30.8	673.5	50.2	100.0	13.5	0.95	0.97
80.3	77.5	2765.5	1808.3	1769.3	30.8	673.5	51.2	100.0	12.8	0.95	0.96
80.4	77.3	2829.0	1801.5	1801.0	30.8	684.0	52.2	100.0	12.8	0.95	0.95
80.5	79.3	2889.8	1795.9	1814.2	30.8	680.0	53.1	100.0	12.8	0.95	0.97
80.6	82.5	2934.5	1790.0	1837.9	30.8	680.0	54.2	100.0	12.8	0.95	0.97
80.7	81.2	2987.5	1783.4	1837.9	30.8	691.4	55.4	100.0	12.8	0.95	0.96
80.8	84.3	3051.0	1777.4	1851.2	30.8	687.0	56.5	100.0	14.3	0.95	0.96
80.9	83.0	3113.8	1778.9	1838.0	30.0	695.0	57.6	100.0	15.8	0.95	0.96
81.0	85.5	3164.5	1782.4	1832.7	30.0	695.0	58.7	100.0	15.8	0.95	0.96
81.1	86.4	3230.5	1785.0	1814.2	30.0	695.1	59.9	100.0	16.5	0.95	0.95
81.2	89.2	3286.5	1787.4	1803.6	30.0	709.8	61.1	100.0	16.5	0.95	0.93
81.3	93.7	3344.3	1794.6	1814.2	30.0	704.0	62.2	100.0	17.3	0.95	0.93
81.4	96.8	3398.3	1800.4	1801.0	29.3	704.0	63.4	100.0	16.5	0.95	0.93
81.5	96.0	3455.3	1804.6	1808.9	29.3	712.5	64.6	100.0	16.5	0.95	0.94
81.6	101.1	3521.8	1820.2	1801.0	29.3	712.5	65.7	100.0	16.5	0.95	0.94
81.7	103.5	3577.8	1822.0	1816.8	29.3	722.0	66.9	100.0	17.3	0.95	0.94
81.8	102.6	3626.8	1821.9	1814.2	29.3	722.0	68.1	100.0	16.5	0.95	0.94
81.9	106.0	3685.0	1825.4	1822.2	29.3	727.6	69.2	100.0	16.5	0.95	0.95
82.0	106.9	3743.0	1828.7	1816.8	29.3	730.5	70.3	100.0	16.5	0.95	0.95
82.1	108.6	3795.5	1834.0	1824.7	28.5	730.5	71.5	100.0	17.3	0.95	0.95
82.2	112.1	3856.5	1836.2	1830.0	28.5	736.0	72.4	100.0	17.3	0.95	0.97
82.3	115.4	3905.8	1837.4	1827.4	28.5	738.8	73.6	100.0	16.5	0.95	0.95
82.4	118.1	3963.0	1834.7	1816.8	28.5	738.8	74.7	100.0	16.5	0.95	0.94
82.5	117.8	4014.8	1838.1	1832.7	28.5	747.6	75.9	100.0	17.3	0.95	0.95
82.6	120.6	4077.8	1846.1	1845.9	28.5	747.6	77.0	100.0	17.3	0.95	0.96
82.7	120.8	4129.0	1849.7	1845.9	28.5	753.3	78.2	100.0	17.3	0.95	0.95

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
82.8	124.1	4189.8	1856.7	1848.5	28.5	756.0	79.3	100.0	17.3	0.95	0.96
82.9	125.2	4243.5	1861.1	1853.8	28.5	756.1	80.4	100.0	16.5	0.95	0.95
83.0	127.8	4304.8	1862.5	1837.9	27.8	761.5	81.6	100.0	17.3	0.95	0.96
83.1	129.0	4350.3	1871.4	1872.3	27.8	764.0	82.8	100.0	17.3	0.95	0.96
83.2	132.5	4405.5	1879.1	1869.7	27.8	770.2	83.9	100.0	17.3	0.95	0.95
83.3	133.2	4466.0	1885.5	1911.9	27.8	773.0	85.0	100.0	17.3	0.95	0.94
83.4	135.4	4524.3	1889.6	1888.2	27.8	773.0	86.1	100.0	17.3	0.95	0.96
83.5	136.4	4576.8	1888.7	1901.4	27.8	778.9	87.2	100.0	18.0	0.95	0.96
83.6	138.0	4632.8	1888.0	1901.3	27.8	781.5	88.4	100.0	17.3	0.95	0.95
83.7	139.6	4690.3	1879.2	1872.3	27.8	781.6	89.5	100.0	15.8	0.95	0.96
83.8	143.2	4746.3	1886.9	1890.8	27.8	790.5	90.6	100.0	15.8	0.95	0.93
83.9	145.5	4801.0	1883.2	1880.2	27.8	790.5	91.7	100.0	15.8	0.95	0.95
84.0	145.1	4846.5	1890.6	1914.5	27.8	790.5	92.9	100.0	16.5	0.95	0.95
84.1	148.6	4903.5	1885.4	1914.6	27.8	796.6	94.0	100.0	16.5	0.95	0.95
84.2	148.9	4961.3	1889.7	1872.3	27.8	799.0	95.1	100.0	15.8	0.95	0.96
84.3	148.1	5012.3	1894.2	1896.1	27.8	799.0	96.2	100.0	15.8	0.95	0.94
84.4	148.1	5059.5	1896.5	1859.1	27.0	805.3	97.3	100.0	15.8	0.95	0.95
84.5	154.3	5108.3	1903.9	1909.3	27.0	807.8	98.4	100.0	16.5	0.95	0.96
84.6	156.1	5177.0	1913.7	1875.0	27.0	807.8	99.4	100.0	15.8	0.95	0.96
84.7	156.3	5228.3	1920.4	1904.0	27.0	816.3	100.5	100.0	16.5	0.95	0.97
84.8	160.7	5273.0	1925.8	1890.8	27.0	816.3	101.6	100.0	15.8	0.95	0.95
84.9	161.7	5335.5	1937.0	1898.8	27.0	822.3	102.7	100.0	15.8	0.95	0.95
85.0	166.7	5384.0	1945.0	1933.1	27.0	824.5	103.8	100.0	15.8	0.95	0.94
85.1	170.0	5442.0	1953.5	1933.1	27.0	824.5	104.8	100.0	15.0	0.95	0.96
85.2	170.1	5481.8	1962.8	1951.6	27.0	830.4	105.9	100.0	15.0	0.95	0.95
85.3	173.5	5550.0	1976.3	1975.3	27.0	832.5	107.0	100.0	15.8	0.95	0.95
85.4	176.4	5594.8	1983.6	1959.5	27.0	832.5	108.1	100.0	15.0	0.95	0.94
85.5	179.0	5647.5	1987.2	1943.6	27.0	840.1	109.1	100.0	14.3	0.95	0.95
85.6	180.2	5704.0	1987.8	1954.2	27.0	840.0	110.2	100.0	15.8	0.95	0.96
85.7	184.1	5747.0	1993.4	1991.2	27.0	846.1	111.0	100.0	14.3	0.95	0.95

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
85.8	183.4	5803.3	1990.4	1975.4	27.0	848.0	112.1	100.0	14.3	0.95	0.95
85.9	184.7	5849.3	1995.2	1988.5	27.0	848.0	113.2	100.0	15.0	0.95	0.95
86.0	185.9	5897.8	1998.2	2009.7	27.0	853.5	114.2	100.0	14.3	0.95	0.95
86.1	187.1	5950.8	1993.8	1951.6	27.0	855.3	115.2	100.0	15.8	0.95	0.96
86.2	186.5	6001.5	1987.9	1980.6	27.0	861.9	116.2	100.0	16.5	0.95	0.96
86.3	188.7	6051.5	1977.8	1978.0	27.0	864.0	117.2	100.0	16.5	0.95	0.96
86.4	191.8	6095.0	1964.6	1975.4	27.0	864.0	118.2	100.0	16.5	0.95	0.95
86.5	191.1	6147.5	1956.1	2017.6	27.0	870.4	119.2	100.0	16.5	0.95	0.95
86.6	193.7	6198.3	1935.2	1988.6	27.0	872.3	120.2	100.0	17.3	0.95	0.95
86.7	189.8	6249.0	1930.1	1980.6	27.8	872.3	121.2	100.0	17.3	0.95	0.95
86.8	189.9	6285.8	1912.9	1938.4	27.8	879.1	122.2	100.0	18.0	0.95	0.94
86.9	189.6	6328.0	1895.3	1946.3	27.8	881.0	123.2	100.0	18.0	0.95	0.94
87.0	189.0	6384.8	1884.7	1948.9	27.8	887.5	124.1	100.0	18.8	0.95	0.96
87.1	189.3	6433.0	1872.4	1898.8	27.8	889.3	125.1	100.0	19.5	0.95	0.97
87.2	188.4	6470.0	1857.7	1882.9	27.8	889.3	126.0	100.0	16.5	0.95	0.95
87.3	186.8	6513.0	1839.5	1919.8	27.8	895.6	126.9	100.0	19.5	0.95	0.96
87.4	188.7	6556.8	1820.5	1888.2	27.8	897.3	127.8	100.0	17.3	0.95	0.95
87.5	115.0	6587.5	1306.3	1808.9	27.8	897.3	128.7	33.9	15.0	0.96	0.95
87.6	114.8	6545.3	990.2	1653.1	27.8	905.1	129.4	0.0	0.8	0.96	0.90
87.7	98.6	6533.0	990.2	1584.3	27.8	905.0	129.8	0.0	-3.8	0.97	0.93
87.8	9.4	6520.8	990.2	1645.2	27.8	910.4	130.1	0.0	9.0	0.97	0.93
87.9	3.9	6507.5	990.2	1468.2	27.8	911.8	130.3	0.0	31.5	0.98	0.85
88.0	11.3	6538.8	990.2	1349.3	27.8	911.8	130.4	0.0	13.5	0.97	0.76
88.1	13.1	6454.3	990.2	1275.3	27.8	916.8	130.3	0.0	9.8	0.97	0.82
88.2	11.4	6373.0	990.2	1233.1	27.8	918.0	129.9	0.0	8.3	0.97	0.88
88.3	10.6	6251.5	990.2	1196.1	27.8	918.0	129.0	0.0	8.3	0.97	0.88
88.4	11.7	6127.3	990.2	1169.7	27.8	926.0	127.8	0.0	7.5	0.93	0.86
88.5	11.7	6050.8	990.2	1148.5	27.8	926.0	126.2	0.0	7.5	0.92	0.84
88.6	12.5	5939.8	990.2	1127.4	27.8	931.2	124.6	0.0	6.8	0.90	0.85
88.7	11.7	5835.0	990.2	1114.2	27.8	932.3	122.8	0.0	6.8	0.89	0.83

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
88.8	11.9	5710.5	990.3	1101.0	27.8	932.3	120.9	0.0	6.0	0.89	0.82
88.9	12.1	5565.8	990.3	1090.4	27.8	935.4	118.8	0.0	6.0	0.87	0.81
89.0	12.0	5497.8	990.3	1079.8	27.8	936.0	116.6	0.0	5.3	0.86	0.80
89.1	12.2	5348.0	990.3	1071.9	27.8	937.2	114.6	0.0	5.3	0.85	0.81
89.2	12.3	5249.5	990.4	1069.3	27.8	937.6	112.4	0.0	5.3	0.85	0.87
89.3	12.3	5174.8	990.4	1064.0	27.8	937.5	110.7	0.0	5.3	0.85	0.86
89.4	11.7	5045.8	990.4	1058.7	27.8	937.6	108.5	0.0	5.3	0.85	0.86
89.5	12.1	4908.8	990.4	1053.4	28.5	937.5	106.3	0.0	4.5	0.84	0.85
89.6	11.3	4812.8	990.4	1050.8	28.5	937.6	104.1	0.0	4.5	0.84	0.86
89.7	11.5	4722.3	990.4	1048.1	28.5	936.3	101.9	0.0	5.3	0.84	0.87
89.8	11.4	4590.3	990.4	1042.9	28.5	936.1	99.7	0.0	4.5	0.84	0.86
89.9	11.0	4469.5	990.4	1040.2	28.5	933.6	97.5	0.0	3.8	0.85	0.86
90.0	10.8	4362.5	990.4	1037.6	28.5	933.0	95.2	0.0	3.8	0.85	0.86
90.1	11.0	4274.3	990.4	1037.5	28.5	933.0	93.0	0.0	3.8	0.85	0.86
90.2	10.5	4170.5	990.4	1034.9	28.5	930.2	90.9	0.0	3.8	0.86	0.84
90.3	9.8	3989.5	990.4	1034.9	29.3	929.5	88.8	0.0	3.8	1.05	0.84
90.4	9.1	3995.3	990.4	1034.9	29.3	929.5	86.5	0.0	4.5	1.05	1.21
90.5	8.5	3846.8	990.4	1034.9	29.3	926.1	84.6	0.0	3.8	1.05	2.28
90.6	8.1	3777.0	990.4	1037.5	29.3	925.3	82.7	0.0	3.8	1.05	3.82
90.7	8.6	3668.8	990.4	1037.5	29.3	921.6	80.7	0.0	3.8	1.05	4.00
90.8	8.2	3584.5	990.4	1034.9	29.3	920.8	78.8	0.0	3.8	1.05	4.00
90.9	7.9	3510.8	990.4	1037.5	30.0	920.8	76.9	0.0	3.8	1.05	4.00
91.0	8.1	3462.8	990.4	1034.9	30.0	916.2	75.2	0.0	3.0	1.05	4.00
91.1	8.1	3380.3	990.4	1034.9	30.0	915.0	73.5	0.0	3.0	1.05	4.00
91.2	7.8	3309.0	990.4	1034.9	30.0	915.0	71.9	0.0	3.0	1.05	4.00
91.3	7.7	3228.8	990.4	1034.9	30.0	905.1	70.4	0.0	2.3	1.05	4.00
91.4	7.5	3178.8	990.5	1034.9	30.0	905.0	68.8	0.0	3.0	1.05	4.00
91.5	7.5	3127.3	990.5	1032.3	30.8	895.2	67.4	0.0	2.3	1.05	4.00
91.6	7.4	3049.5	990.4	1029.7	30.8	892.5	66.1	0.0	3.0	1.05	4.00
91.7	7.3	2988.5	990.5	1029.7	30.8	892.5	64.8	0.0	1.5	1.05	4.00

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
91.8	7.2	2931.8	990.5	1027.0	30.8	881.8	63.5	0.0	1.5	1.05	4.00
91.9	7.1	2857.8	990.5	1027.0	30.8	878.8	62.2	0.0	1.5	1.05	4.00
92.0	6.9	2809.3	990.5	1027.0	30.8	878.8	60.9	0.0	1.5	1.05	4.00
92.1	6.4	2787.8	990.5	1024.4	30.8	864.3	59.7	0.0	2.3	1.05	4.00
92.2	6.3	2729.0	990.5	1027.0	30.8	864.3	58.6	0.0	1.5	1.05	4.00
92.3	6.4	2688.3	990.5	1024.4	31.5	853.5	57.6	0.0	1.5	1.05	4.00
92.4	6.3	2671.8	990.5	1024.4	31.5	850.1	56.6	0.0	1.5	1.05	4.00
92.5	6.1	2636.8	990.5	1024.3	31.5	850.1	55.7	0.0	1.5	1.05	4.00
92.6	6.1	2601.5	990.5	1024.3	31.5	839.5	54.9	0.0	1.5	1.05	4.00
92.7	6.1	2557.8	990.4	1024.3	31.5	835.8	54.2	0.0	1.5	1.05	4.00
92.8	5.8	2546.8	990.4	1024.3	31.5	825.7	53.6	0.0	1.5	1.05	4.00
92.9	6.1	2506.5	990.4	1024.3	31.5	822.0	52.9	0.0	0.8	1.05	4.00
93.0	5.9	2479.8	990.4	1021.7	32.3	822.0	52.3	0.0	0.8	1.05	4.00
93.1	5.9	2442.3	990.4	1021.7	32.3	799.4	51.6	0.0	0.8	1.05	4.00
93.2	5.7	2417.0	990.4	1021.7	32.3	808.7	50.9	0.0	0.0	1.05	4.00
93.3	5.8	2387.0	990.4	1021.7	32.3	796.3	50.3	0.0	0.0	1.05	4.00
93.4	5.7	2353.3	990.4	1021.7	32.3	796.3	49.7	0.0	0.0	1.05	4.00
93.5	5.4	2336.5	990.4	1021.7	32.3	796.3	49.1	0.0	0.0	1.05	4.00
93.6	5.5	2291.8	990.4	1021.7	32.3	777.3	48.5	0.0	-0.8	1.05	4.00
93.7	5.4	2272.3	990.4	1021.7	32.3	785.0	47.9	0.0	-0.8	1.05	4.00
93.8	5.4	2245.3	990.4	1019.1	33.0	785.1	47.3	0.0	-0.8	1.05	4.00
93.9	5.3	2233.5	990.4	1021.7	33.0	765.7	46.8	0.0	-0.8	1.05	4.00
94.0	5.4	2196.8	990.4	1021.7	33.0	773.6	46.2	0.0	-0.8	1.05	4.00
94.1	5.3	2192.3	990.4	1019.1	33.0	762.8	45.8	0.0	-1.5	1.05	4.00
94.2	5.2	2161.5	990.5	1019.1	33.0	762.8	45.2	0.0	-2.3	1.05	4.00
94.3	5.2	2137.5	990.5	1019.1	33.0	762.8	44.7	0.0	-2.3	1.05	4.00
94.4	5.1	2116.8	990.5	1016.5	33.0	746.1	44.3	0.0	-2.3	1.05	4.00
94.5	4.9	2093.5	990.5	1016.5	33.0	752.8	43.8	0.0	-2.3	1.05	4.00
94.6	5.0	2073.3	990.5	1019.1	33.0	752.8	43.4	0.0	-3.0	1.05	4.00
94.7	5.0	2041.5	990.6	1016.5	33.8	736.6	42.9	0.0	-3.0	1.05	4.00

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
94.8	4.9	2022.8	990.6	1016.5	33.8	743.0	42.4	0.0	-3.8	1.05	4.00
94.9	4.9	1992.3	990.6	1016.5	33.8	734.0	42.0	0.0	-4.5	1.05	4.00
95.0	4.7	1976.8	990.5	1016.5	33.8	734.0	41.5	0.0	-4.5	1.05	4.00
95.1	4.9	1958.0	990.5	1016.4	33.8	734.0	41.0	0.0	-4.5	1.05	4.00
95.2	4.6	1940.0	990.5	1016.4	33.8	719.2	40.6	0.0	-4.5	1.05	4.00
95.3	4.5	1926.0	990.5	1013.8	33.8	725.1	40.2	0.0	-5.3	1.05	4.00
95.4	4.4	1912.8	990.5	1013.8	33.8	725.0	39.7	1.6	-5.3	1.05	4.00
95.5	4.7	1927.3	990.5	1013.8	33.8	711.9	39.3	8.2	21.0	0.95	4.00
95.6	6.6	1894.5	990.5	1011.2	33.8	717.0	38.9	10.9	30.0	0.95	4.00
95.7	7.1	1878.3	990.5	1008.5	34.5	709.5	38.5	11.3	30.0	0.95	2.60
95.8	9.3	1899.0	990.5	1005.9	34.5	709.5	38.2	13.7	30.8	0.95	1.37
95.9	10.1	1886.3	990.5	1005.9	34.5	709.5	38.1	13.7	27.8	0.95	1.15
96.0	10.4	1872.5	990.5	1005.9	34.5	696.9	37.9	15.7	28.5	0.95	1.09
96.1	12.1	1869.0	990.5	1005.9	34.5	701.8	37.7	15.7	27.0	0.95	1.03
96.2	11.5	1866.8	990.5	1005.9	34.5	696.5	37.6	16.1	26.3	0.95	1.00
96.3	11.6	1867.5	990.5	1005.9	34.5	696.5	37.5	17.7	26.3	0.95	0.97
96.4	15.8	1867.3	990.5	1003.2	34.5	696.5	37.5	20.3	26.3	0.95	0.96
96.5	16.9	1881.3	990.5	1005.8	34.5	688.4	37.4	20.6	25.5	0.95	0.96
96.6	15.7	1876.3	990.5	1008.5	34.5	691.5	37.4	21.0	27.0	0.95	0.95
96.7	15.6	1878.8	990.5	1011.1	34.5	691.5	37.4	21.0	27.0	0.95	0.95
96.8	15.4	1872.5	990.5	1016.4	34.5	686.7	37.4	21.0	26.3	0.95	0.95
96.9	15.3	1879.3	990.5	1019.1	34.5	688.6	37.4	21.0	26.3	0.95	0.96
97.0	15.7	1877.0	990.5	1021.7	34.5	684.8	37.5	21.0	26.3	0.95	0.96
97.1	15.3	1888.0	990.5	1027.0	34.5	684.8	37.5	21.0	26.3	0.95	0.95
97.2	15.4	1879.8	990.5	1027.0	35.3	684.8	37.5	20.6	27.0	0.95	0.95
97.3	14.1	1887.3	990.5	1029.6	35.3	682.8	37.5	19.5	27.0	0.95	0.95
97.4	12.9	1871.0	990.5	1032.3	35.3	683.6	37.6	18.4	27.0	0.95	0.95
97.5	12.4	1880.5	990.5	1032.3	35.3	683.6	37.5	18.1	27.8	0.95	0.95
97.6	12.1	1876.8	990.5	1032.3	34.5	681.2	37.5	18.1	28.5	0.95	0.96
97.7	12.6	1885.8	990.5	1029.7	34.5	682.1	37.5	18.1	27.8	0.95	0.97

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
97.8	12.7	1868.8	990.5	1029.6	34.5	681.3	37.5	17.7	28.5	0.95	0.97
97.9	12.5	1872.3	990.5	1027.0	34.5	681.2	37.4	17.3	28.5	0.95	0.96
98.0	11.8	1852.8	990.5	1029.6	34.5	681.3	37.4	17.3	27.8	0.95	0.96
98.1	12.1	1865.8	990.5	1027.0	34.5	681.3	37.3	17.3	28.5	0.95	0.95
98.2	11.9	1854.5	990.5	1027.0	34.5	681.3	37.2	17.3	28.5	0.95	0.95
98.3	11.8	1861.5	990.5	1024.4	34.5	681.3	37.2	17.3	28.5	0.95	0.95
98.4	11.8	1849.0	990.5	1024.4	34.5	680.5	37.2	17.3	28.5	0.95	0.94
98.5	11.9	1857.0	990.5	1024.4	34.5	680.8	37.1	17.3	28.5	0.95	0.94
98.6	12.0	1849.5	990.5	1024.3	34.5	680.8	37.1	17.3	27.8	0.95	0.95
98.7	12.2	1851.0	990.5	1024.3	34.5	680.8	37.1	17.3	28.5	0.95	0.95
98.8	12.1	1857.5	990.5	1024.3	34.5	680.3	37.0	17.3	27.8	0.95	0.95
98.9	11.8	1868.5	990.5	1024.3	34.5	680.0	37.1	17.3	27.8	0.95	0.95
99.0	12.4	1860.8	990.5	1024.3	34.5	680.0	37.1	17.3	28.5	0.95	0.95
99.1	12.1	1854.0	990.5	1021.7	34.5	679.5	37.1	17.3	27.8	0.95	0.95
99.2	12.0	1858.8	990.5	1021.7	34.5	679.6	37.1	17.3	28.5	0.95	0.95
99.3	11.9	1865.8	990.4	1021.7	34.5	679.3	37.1	17.3	28.5	0.95	0.95
99.4	12.1	1868.3	990.4	1021.7	34.5	679.0	37.2	17.3	29.3	0.95	0.95
99.5	12.5	1870.0	990.4	1021.7	34.5	679.0	37.2	17.3	28.5	0.95	0.95
99.6	12.3	1866.8	990.4	1021.7	34.5	678.7	37.2	17.3	28.5	0.95	0.95
99.7	11.7	1874.0	990.4	1021.7	34.5	678.5	37.2	17.3	28.5	0.95	0.95
99.8	12.1	1873.3	990.4	1021.7	34.5	678.5	37.3	17.7	28.5	0.95	0.96
99.9	13.3	1878.3	990.4	1019.1	34.5	678.0	37.3	18.8	28.5	0.95	0.95
100.0	14.1	1876.8	990.4	1019.1	34.5	678.0	37.4	21.9	27.8	0.95	0.95
100.1	19.2	1883.0	990.4	1016.5	34.5	677.3	37.4	24.1	26.3	0.95	0.95
100.2	19.4	1893.0	990.5	1024.3	34.5	676.8	37.5	25.9	24.8	0.95	0.96
100.3	20.0	1901.0	990.5	1032.3	34.5	676.8	37.6	25.9	24.8	0.96	0.96
100.4	19.6	1903.5	990.5	1037.5	34.5	676.8	37.7	25.9	24.8	0.96	0.95
100.5	19.9	1921.3	990.5	1045.5	34.5	676.8	37.8	25.9	24.0	0.96	0.94
100.6	18.8	1923.3	990.4	1053.4	34.5	676.8	37.9	25.9	24.8	0.96	0.95
100.7	18.9	1935.3	990.5	1058.7	34.5	676.3	38.1	25.9	24.0	0.96	0.95

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
100.8	19.1	1943.8	990.5	1061.3	34.5	676.3	38.3	25.9	24.8	0.96	0.97
100.9	18.2	1952.0	990.5	1066.6	34.5	676.3	38.4	25.9	25.5	0.96	0.98
101.0	18.1	1961.0	990.5	1069.2	34.5	676.3	38.6	25.9	24.8	0.96	0.98
101.1	18.5	1975.5	990.5	1071.9	34.5	676.3	38.8	25.9	25.5	0.96	0.98
101.2	18.5	1984.5	990.5	1074.5	34.5	676.3	39.0	26.3	27.0	0.96	0.98
101.3	18.7	1989.8	990.5	1077.2	34.5	676.3	39.2	28.5	24.8	0.96	0.98
101.4	21.3	2004.5	990.5	1077.2	34.5	676.3	39.4	29.2	26.3	0.96	0.97
101.5	21.3	2017.0	990.5	1082.5	34.5	676.3	39.6	31.8	24.8	0.96	0.97
101.6	27.7	2041.3	1094.3	1082.5	34.5	676.8	39.9	39.4	23.3	0.96	0.95
101.7	30.0	2063.3	1103.7	1090.4	34.5	676.8	40.2	39.8	20.3	0.97	0.95
101.8	30.9	2069.5	1115.6	1106.2	34.5	677.6	40.4	39.8	19.5	0.97	0.95
101.9	31.7	2098.8	1108.5	1122.1	34.5	678.0	40.7	39.8	18.8	0.97	0.93
102.0	32.9	2132.0	1143.4	1140.6	34.5	678.0	41.1	40.5	18.0	0.97	0.94
102.1	34.0	2146.5	1149.5	1159.1	33.8	679.0	41.6	40.9	19.5	0.97	0.95
102.2	35.9	2179.0	1266.8	1177.5	33.8	679.0	42.0	44.9	18.0	0.97	0.96
102.3	36.8	2203.5	1286.1	1196.0	33.8	679.4	42.5	45.3	18.0	0.98	0.97
102.4	37.7	2233.8	1272.6	1214.5	33.8	679.5	43.0	45.3	18.8	0.98	0.97
102.5	38.4	2260.3	1278.4	1230.4	33.8	679.5	43.5	45.3	17.3	0.98	0.97
102.6	40.3	2276.3	1263.9	1251.5	33.8	680.6	44.0	44.9	17.3	0.98	0.97
102.7	40.4	2320.3	1245.4	1267.3	33.8	681.3	44.3	44.2	17.3	0.98	0.98
102.8	40.1	2348.0	1138.9	1278.0	33.8	681.3	44.7	40.7	18.8	0.98	0.98
102.9	37.2	2361.5	1078.2	1296.4	33.8	683.5	45.2	39.1	19.5	0.98	0.98
103.0	35.7	2399.5	1041.8	1301.7	33.8	683.5	45.6	38.3	20.3	0.98	0.97
103.1	34.7	2420.3	1018.6	1301.7	33.8	684.9	46.1	37.6	21.8	0.98	0.98
103.2	32.7	2450.0	997.5	1301.7	33.8	685.8	46.7	37.2	21.8	0.98	0.99
103.3	31.2	2476.3	990.9	1296.5	33.8	685.8	47.1	36.9	22.5	0.98	1.00
103.4	31.2	2484.5	990.9	1291.2	33.0	687.9	47.6	36.9	23.3	0.98	1.00
103.5	31.1	2505.3	990.9	1283.2	33.0	689.3	48.1	36.9	23.3	0.98	1.01
103.6	31.4	2531.8	990.9	1278.0	33.0	689.3	48.6	36.9	24.0	0.98	0.99
103.7	31.8	2552.0	990.9	1270.0	33.0	693.0	49.0	36.9	24.8	0.98	0.99

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
103.8	32.7	2569.8	990.9	1267.4	33.0	693.0	49.5	36.9	25.5	0.98	0.98
103.9	33.2	2593.0	990.9	1262.1	33.0	695.2	49.9	36.9	24.8	0.98	0.98
104.0	33.1	2612.8	990.8	1262.1	33.0	696.5	50.4	36.9	25.5	0.98	0.97
104.1	33.1	2622.5	990.9	1262.1	33.0	696.6	50.8	36.5	24.8	0.98	0.97
104.2	33.6	2644.5	990.9	1262.1	33.0	698.4	51.2	36.5	25.5	0.98	0.97
104.3	33.6	2679.5	990.9	1262.1	33.0	699.5	51.6	36.5	25.5	0.98	0.97
104.4	33.5	2692.0	990.9	1262.1	32.3	699.5	52.0	36.5	26.3	0.98	0.97
104.5	33.3	2700.8	990.9	1259.5	32.3	701.8	52.4	36.5	25.5	0.98	0.97
104.6	33.7	2721.0	990.9	1256.8	32.3	701.8	52.8	37.2	26.3	0.98	0.98
104.7	35.8	2746.3	990.9	1254.2	32.3	703.5	53.2	37.6	27.0	0.98	0.98
104.8	36.1	2753.5	990.9	1262.1	32.3	704.5	53.5	37.6	26.3	0.98	0.98
104.9	35.4	2773.8	990.9	1262.1	32.3	704.5	53.9	37.6	25.5	0.98	0.98
105.0	35.6	2792.5	990.9	1264.7	32.3	706.8	54.3	37.6	27.0	0.98	0.98
105.1	35.9	2808.3	990.9	1264.8	32.3	706.8	54.6	37.6	27.8	0.98	0.98
105.2	36.0	2830.8	990.9	1267.3	32.3	708.2	55.0	37.6	27.8	0.98	0.98
105.3	36.9	2846.3	990.9	1270.0	32.3	709.1	55.4	37.6	27.8	0.98	0.99
105.4	36.6	2856.0	990.9	1272.7	32.3	709.0	55.7	37.6	27.8	0.98	0.98
105.5	36.4	2873.0	1154.0	1275.3	32.3	710.7	56.1	44.2	27.8	0.98	0.98
105.6	45.8	2911.3	1342.4	1256.8	31.5	711.6	56.4	52.0	27.8	0.98	0.99
105.7	49.0	2927.8	1511.6	1272.7	31.5	711.6	56.8	61.1	26.3	0.98	1.02
105.8	62.9	2964.8	1675.7	1283.2	31.5	713.0	57.2	75.9	25.5	0.98	1.01
105.9	68.5	2979.5	1744.4	1344.0	31.5	713.0	57.6	89.4	23.3	0.99	0.98
106.0	74.9	3029.3	1746.1	1407.3	31.5	715.0	58.1	100.0	21.8	0.99	0.96
106.1	78.5	3065.3	1749.0	1481.3	31.5	716.0	58.6	100.0	20.3	0.99	0.94
106.2	81.5	3101.3	1755.6	1552.7	31.5	716.1	59.3	100.0	19.5	0.99	0.98
106.3	86.7	3144.5	1769.0	1639.8	31.5	717.3	59.9	100.0	18.0	0.98	0.99
106.4	89.5	3195.8	1779.0	1716.5	31.5	718.0	60.6	100.0	15.8	0.98	1.03
106.5	90.6	3245.5	1789.0	1771.9	31.5	718.1	61.3	100.0	15.8	0.97	0.99
106.6	94.3	3292.8	1794.9	1808.9	31.5	720.8	62.2	100.0	15.0	0.97	0.98
106.7	97.1	3335.8	1798.1	1822.2	31.5	720.8	62.9	100.0	15.0	0.97	0.95

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
106.8	98.3	3375.8	1804.4	1843.3	31.5	723.6	63.8	100.0	14.3	0.96	0.94
106.9	98.7	3421.0	1807.2	1830.0	31.5	725.1	64.7	100.0	15.0	0.96	0.96
107.0	101.7	3501.0	1810.5	1824.8	30.8	725.0	65.7	100.0	15.8	0.96	0.96
107.1	100.8	3529.0	1812.5	1835.3	30.8	728.7	66.6	100.0	16.5	0.96	0.94
107.2	101.7	3591.0	1815.4	1827.4	30.8	730.5	67.6	100.0	16.5	0.96	0.95
107.3	104.1	3641.8	1817.9	1840.6	30.8	730.5	68.6	100.0	16.5	0.96	0.95
107.4	106.4	3695.0	1819.8	1837.9	30.8	738.1	69.6	100.0	15.8	0.96	0.96
107.5	106.4	3736.3	1824.0	1827.4	30.8	738.0	70.8	100.0	15.8	0.96	0.95
107.6	109.3	3796.0	1819.9	1811.6	30.8	743.0	71.8	100.0	16.5	0.96	0.96
107.7	110.3	3846.8	1825.3	1830.0	30.8	745.6	72.8	100.0	16.5	0.96	0.95
107.8	112.0	3892.3	1827.0	1827.4	30.8	745.5	73.9	100.0	16.5	0.95	0.95
107.9	116.0	3954.5	1829.1	1824.7	30.0	751.3	74.9	100.0	16.5	0.95	0.95
108.0	115.4	4007.8	1828.6	1822.1	30.0	754.1	75.9	100.0	16.5	0.95	0.95
108.1	116.8	4049.5	1827.5	1840.6	30.0	754.1	77.0	100.0	18.0	0.95	0.94
108.2	117.8	4101.3	1833.4	1840.6	30.0	762.5	78.0	100.0	18.0	0.95	0.97
108.3	119.3	4156.3	1839.0	1830.0	30.0	762.5	79.1	100.0	17.3	0.95	0.97
108.4	123.2	4206.8	1848.1	1824.7	30.0	768.2	80.1	100.0	17.3	0.95	0.94
108.5	124.1	4250.0	1853.5	1830.0	30.0	770.8	81.1	100.0	17.3	0.95	0.94
108.6	126.9	4296.8	1855.8	1824.8	30.0	770.8	82.1	100.0	18.0	0.95	0.96
108.7	127.9	4354.0	1861.2	1856.5	29.3	778.8	83.2	100.0	18.0	0.95	0.95
108.8	130.7	4407.0	1874.8	1822.2	29.3	778.8	84.2	100.0	18.0	0.95	0.96
108.9	132.8	4445.8	1886.8	1872.3	29.3	785.1	85.2	100.0	18.0	0.95	0.95
109.0	133.7	4495.8	1891.6	1893.4	29.3	787.8	86.3	100.0	18.0	0.95	0.96
109.1	135.9	4555.0	1891.1	1911.9	29.3	787.8	87.2	100.0	18.0	0.95	0.94
109.2	138.7	4600.8	1889.3	1909.3	29.3	793.5	88.3	100.0	17.3	0.95	0.95
109.3	140.8	4648.8	1885.2	1901.3	29.3	795.8	89.3	100.0	15.0	0.95	0.97
109.4	142.8	4700.0	1882.5	1909.3	29.3	795.8	90.3	100.0	16.5	0.95	0.95
109.5	142.4	4746.3	1884.5	1912.0	29.3	803.8	91.2	100.0	15.8	0.95	0.95
109.6	143.9	4798.3	1886.1	1898.8	29.3	803.8	92.3	100.0	15.8	0.95	0.95
109.7	144.3	4843.8	1890.2	1901.3	29.3	809.7	93.2	100.0	15.8	0.95	0.94

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
109.8	147.4	4890.8	1890.9	1919.8	29.3	812.0	94.2	100.0	15.8	0.95	0.96
109.9	147.6	4941.3	1887.5	1896.1	29.3	812.0	95.2	100.0	15.8	0.95	0.94
110.0	147.2	4992.8	1895.6	1911.9	29.3	825.9	96.2	100.0	15.8	0.95	0.95
110.1	151.4	5032.3	1897.7	1880.2	28.5	820.0	97.2	100.0	15.8	0.95	0.96
110.2	152.8	5083.0	1908.7	1904.0	28.5	827.6	98.2	100.0	16.5	0.95	0.94
110.3	152.6	5131.0	1913.6	1904.0	28.5	827.5	98.9	100.0	16.5	0.95	0.96
110.4	156.4	5174.0	1911.8	1890.8	28.5	827.5	99.9	100.0	16.5	0.95	0.94
110.5	156.9	5225.3	1917.9	1925.1	28.5	842.0	100.9	100.0	16.5	0.95	0.95
110.6	160.8	5274.3	1923.0	1917.2	28.5	835.8	101.8	100.0	15.8	0.95	0.96
110.7	162.3	5311.5	1930.9	1935.7	28.5	835.8	102.8	100.0	15.8	0.95	0.95
110.8	165.6	5364.8	1939.3	1930.4	28.5	848.0	103.7	100.0	15.8	0.95	0.94
110.9	167.8	5410.5	1950.5	1956.8	28.5	842.8	104.7	100.0	15.0	0.95	0.95
111.0	172.2	5465.8	1960.4	1962.2	28.5	850.0	105.6	100.0	15.0	0.95	0.94
111.1	172.4	5512.5	1975.1	1972.7	28.5	850.0	106.6	100.0	15.0	0.95	0.95
111.2	175.5	5550.0	1986.2	1996.5	28.5	850.0	107.5	100.0	14.3	0.95	0.96
111.3	178.2	5603.8	1991.8	1999.1	28.5	862.4	108.5	100.0	14.3	0.95	0.95
111.4	179.3	5651.8	1989.6	1991.2	28.5	857.0	109.4	100.0	14.3	0.95	0.97
111.5	178.8	5696.8	1992.5	1959.5	28.5	857.1	110.4	100.0	14.3	0.95	0.95
111.6	183.4	5749.3	1996.6	2020.2	28.5	869.8	111.3	100.0	15.0	0.95	0.95
111.7	184.4	5793.5	1999.7	1996.5	28.5	864.3	112.3	100.0	14.3	0.95	0.96
111.8	186.2	5829.0	2001.1	1991.2	28.5	878.0	113.2	100.0	15.0	0.95	0.95
111.9	187.1	5879.3	2004.9	1975.3	28.5	872.0	114.2	100.0	14.3	0.95	0.95
112.0	187.1	5920.3	2003.9	2014.9	28.5	872.0	115.1	100.0	15.8	0.95	0.95
112.1	188.7	5965.0	1999.4	1993.8	28.5	885.4	115.9	100.0	15.0	0.95	0.96
112.2	189.9	6010.3	1991.1	2001.7	28.5	879.5	116.9	100.0	15.8	0.95	0.96
112.3	190.8	6058.0	1986.6	1985.9	28.5	887.5	117.8	100.0	15.8	0.95	0.95
112.4	189.0	6090.0	1963.4	2014.9	28.5	887.5	118.7	100.0	16.5	0.95	0.95
112.5	189.9	6134.8	1957.3	2012.3	28.5	893.8	119.6	100.0	16.5	0.95	0.96
112.6	189.9	6177.0	1947.2	1975.3	28.5	901.9	120.4	100.0	17.3	0.95	0.95
112.7	188.7	6209.3	1935.0	1951.6	28.5	895.5	121.3	100.0	14.3	0.95	0.94

TimeStamp	mshfm_w	nmot_w	plsol_w	pvdks_w	tans	tats_w	vfil_w	wped_w	zwout	lamsbg_w	lamsoni_w
sec.ms	g/s	rpm	mbar	mbar	°C	°C	km/h	PED	°KW	-	-
TIME	MassAirFlo	EngineSpeed	Boost Desired	Boost Actual	IntakeAirT	EGTSensor	VehicleSpe	AccelPedal	IgnitionTim	AFR Desire	AFRCurrent
112.8	191.1	6254.3	1917.2	1978.0	28.5	902.0	122.1	100.0	17.3	0.95	0.95
112.9	190.5	6300.8	1916.0	1983.2	29.3	910.3	122.9	100.0	18.0	0.95	0.95
113.0	188.3	6341.5	1900.6	1935.7	29.3	903.8	123.8	100.0	18.8	0.95	0.95
113.1	148.9	6373.0	1466.6	1888.2	29.3	910.8	124.6	66.8	18.8	0.96	0.95
113.2	120.2	6341.5	1117.8	1721.8	29.3	910.8	125.3	9.9	6.8	0.97	0.89
113.3	103.3	6338.0	990.8	1595.0	29.3	916.6	125.8	0.0	-3.8	0.97	0.90
113.4	59.3	6285.8	990.8	1639.8	29.3	918.0	126.0	0.0	-2.3	0.98	1.00
113.5	13.4	6326.3	990.7	1547.4	29.3	918.0	126.2	0.0	17.3	0.98	1.00